

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|---------------------|
| L1 | 0 | (snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)).clm. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/08/28 20:47 |
| L2 | 0 | (snmp same icmp same (mib or (management adj information adj base))).clm. and (MIB near2 (printer or bridge or repeater)).clm. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2009/08/28 20:48 |
| L4 | 7 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist \$9 or activ\$9) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/08/28 20:59 |
| S1 | 2337 | @ay<"2000" and 709/223,224.ccls. | US-PGPUB; USPAT | OR | ON | 2004/06/09 16:19 |
| S2 | 196 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) | US-PGPUB; USPAT | OR | ON | 2004/05/28 15:05 |

| | | | | | | |
|-----|----|---|-----------------|----|----|------------------|
| S3 | 37 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") | US-PGPUB; USPAT | OR | ON | 2004/05/28 15:06 |
| S4 | 37 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") | US-PGPUB; USPAT | OR | ON | 2004/05/28 15:06 |
| S5 | 6 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) | US-PGPUB; USPAT | OR | ON | 2005/01/17 19:07 |
| S6 | 1 | "5774669".pn. | US-PGPUB; USPAT | OR | ON | 2007/06/21 23:05 |
| S7 | 66 | @ay<"2000" and "709".clas. and (server with authentication with prox\$) | US-PGPUB; USPAT | OR | ON | 2004/06/09 16:24 |
| S8 | 1 | "585296".pn. "5638446".pn. | US-PGPUB; USPAT | OR | ON | 2004/06/09 16:22 |
| S9 | 2 | "5875296".pn. "5638446".pn. | US-PGPUB; USPAT | OR | ON | 2004/06/09 16:22 |
| S10 | 1 | @ay<"2000" and "709".clas. and (server with authentication with prox\$) and ("trusted site") | US-PGPUB; USPAT | OR | ON | 2004/06/09 16:25 |

| | | | | | | |
|-----|---|---|-----------------|----|----|------------------|
| S11 | 6 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist \$9 or activ\$9) | US-PGPUB; USPAT | OR | ON | 2005/01/17 19:07 |
| S12 | 6 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist \$9 or activ\$9) not hitachi.as. | US-PGPUB; USPAT | OR | ON | 2005/01/17 19:26 |
| S13 | 6 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (IP or "internet protocol") and address and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist \$9 or activ\$9 or status) not hitachi.as. | US-PGPUB; USPAT | OR | ON | 2005/01/17 19:27 |

| | | | | | | |
|-----|---|---|---|----|----|---------------------|
| S14 | 6 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and chart and (GUI or "graphical user interface" or topograph\$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) not hitachi.as. | US-PGPUB; USPAT | OR | ON | 2005/01/17 19:28 |
| S15 | 6 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (plot\$4 or chart) and (GUI or "graphical user interface" or topograph \$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) not hitachi. as. | US-PGPUB; USPAT | OR | ON | 2005/01/17 19:28 |
| S16 | 6 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (plot\$4 or chart) and (GUI or "graphical user interface" or topograph \$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) not hitachi. as. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/17 16:37 |

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S17 | 4 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (plot\$4 or chart) and (GUI or "graphical user interface" or topograph \$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) and (port with (number or information or data)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/17 16:44 |
| S18 | 2 | @ay<"2000" and 709/223,224.ccls. and ((SNMP or "simple network management protocol") with agent) and (ICMP or "Internet Control Message Protocol") and (plot\$4 or chart) and (GUI or "graphical user interface" or topograph \$ or tree or hierarch\$) and (exist\$9 or activ\$9 or status) and ((scan \$5 or search\$5 or retriev\$5 or gather\$5 or obtain\$5) with port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/17 16:47 |
| S19 | 199 | @ay<"2000" and 709/223,224.ccls. and ((scan\$5 or search\$5 or retriev\$5 or gather \$5 or obtain\$5) with port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/17 16:47 |
| S20 | 199 | @ay<"2000" and 709/223,224.ccls. and ((scan\$5 or search\$5 or retriev\$5 or gather \$5 or obtain\$5) with port) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/08/17 16:48 |

| | | | | | | |
|-----|-----|---|--|----|----|---------------------|
| S21 | 21 | @ay<"2000" and 709/223,224.ccls. and ((scan\$5 or search\$5 or retriev\$5 or gather\$5 or obtain\$5) with port) and (network with (manag\$7 or monitor\$5)).ti. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/08/17 16:53 |
| S22 | 64 | @ay<"2000" and (709/223,224).ccls. and ((snmp) with (detect\$4 or determin\$4 or find\$4 or quer\$4 or search\$4 or poll\$4) with (device or type)) | US-PGPUB; USPAT | OR | ON | 2006/11/26 18:18 |
| S23 | 54 | @ay<"2000" and (709/223,224).ccls. and ((snmp) with (detect\$4 or find\$4 or quer\$4 or search\$4 or poll\$4) with (device or type)) | US-PGPUB; USPAT | OR | ON | 2006/11/26 18:17 |
| S24 | 15 | @ay<"2000" and (709/223,224).ccls. and ((snmp) with (detect\$4 or find\$4 or quer\$4 or search\$4 or poll\$4) with (type)) | US-PGPUB; USPAT | OR | ON | 2006/11/26 18:17 |
| S25 | 8 | @ay<"2000" and (709/223,224).ccls. and ((snmp) with (detect\$4 or determin\$4 or find\$4 or quer\$4 or search\$4 or poll\$4) with (device with type)) | US-PGPUB; USPAT | OR | ON | 2006/11/26 18:21 |
| S26 | 1 | "20020032761" | US-PGPUB; USPAT | OR | ON | 2006/11/26 18:21 |
| S27 | 1 | "6377987".pn. | US-PGPUB; USPAT | OR | ON | 2007/06/21 23:05 |
| S28 | 269 | 709/223,224.ccls. and ((multiple or plural or plurality) with (IP adj address) with (device or node or computer or apparatus)) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/01/04 00:42 |

| | | | | | | |
|-----|-----|--|--|----|----|---------------------|
| S29 | 692 | 709/223,224.ccls. and ((multiple or plural or plurality) with (IP adj address)) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/01/04 00:42 |
| S30 | 3 | 709/223,224.ccls. and ((multiple or plural or plurality) adj3 (IP adj address)) with ((single or each or one) adj (node or device or computer or apparatus)) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/01/04 00:43 |
| S31 | 12 | @ay<"2000" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/08/28 13:30 |
| S32 | 0 | @ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (printer near2 mib) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/08/28 13:56 |
| S33 | 0 | @ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (printer near2 mib) and (repeater near mib) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/08/28 13:56 |
| S34 | 0 | @ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and ((printer near2 mib) or (repeater near mib)) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/08/28 13:56 |

| | | | | | | |
|-----|---|--|--|----|----|---------------------|
| S35 | 4 | @ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (icmp with echo) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/08/28 19:03 |
| S36 | 1 | @ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (icmp with echo) and (MIB with (printer or bridge or repeater)) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/08/28 19:04 |
| S37 | 1 | @ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))) and (icmp with echo) and (MIB near2 (printer or bridge or repeater)) | US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB | OR | ON | 2009/08/28 19:04 |

EAST Search History (I nterference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|----------------|------------------|---------|------------------|
| L3 | 0 | (snmp same icmp same (mib or (management adj information adj base))).clm. and (MIB near2 (printer or bridge or repeater)).clm. | USPAT; UPAD | OR | ON | 2009/08/28 20:48 |

| | | | | | | |
|-----|---|---|-----------------------|----|----|------------------|
| S38 | 0 | @ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)). clm. | USPAT; UPAD | OR | ON | 2009/08/28 19:09 |
| S39 | 0 | @ay<"2001" and 709/223,224.ccls. and (snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)). clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2009/08/28 19:10 |
| S40 | 0 | @ay<"2001" and (snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)). clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2009/08/28 19:10 |
| S41 | 0 | (snmp same icmp same (mib or (management adj information adj base))).clm. and (icmp with echo) and (MIB near2 (printer or bridge or repeater)). clm. | US-PGPUB; USPAT; UPAD | OR | ON | 2009/08/28 19:10 |

8/ 28/ 09 9:52:12 PM

C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces
 \ azizul09772709.wsp